


ebony convertible booster

suitable from 9 to 36 kilograms

group I + II + III

instruction

MANUAL



IMPORTANT: KEEP THIS BOOKLET IN THE PLACE PROVIDED ON THE CHILD RESTRAINT.

Illustrations and designs may vary.



follow us on
[motherschoice.com.au](https://www.motherschoice.com.au)

the only choice

warnings

In order to protect your child correctly, the Mother's Choice child safety seat must always be used and installed as described in these instructions. The fabric cover may be different to the illustrations shown in this instruction manual.

We are pleased that our Mother's Choice child safety seat may accompany your child safely. This child restraint has been approved in accordance with the regulation ECE R44/04, and manufactured under strict quality control. Please follow all instructions labelled on this child restraint and in the written instruction manual to instal and use this child restraint. Failure to follow all instructions may result in death or serious injury in a crash.

IMPORTANT: KEEP THIS GUIDE IN THE PLACE PROVIDED ON THE CHILD RESTRAINT.

If you have any questions regarding its use, please feel free to contact us at customerservice@igc.co.nz or via phone at 0800 628 000 (toll free) between 8:00 am - 5:00 pm Monday to Friday.

Safety:


1. Before installing restraint in a vehicle, carefully read instruction manual. Failure to do so may result in death or serious injury.
2. DO NOT disassemble, attempt to disassemble, or tamper with any part of this restraint, or change the way this restraint harnesses.
3. Always keep the restraint secured in the vehicle even when it is unoccupied.
4. This child restraint system is suitable for group I, II, and III (weight: 9kg - 36kg).
5. Any luggage, or other objects liable to cause injury in the event of a collision, shall be properly secured.
6. This child restraint should be changed when it has been subject to violent stresses in an accident.
7. This child restraint should be kept away from sunlight, otherwise it may be too hot for the child's skin.
8. Always confirm before each use that the child restraint is securely installed. Under emergency, the child can be released quickly.
9. Keep the restraint away from corrosive objects.
10. DO NOT leave any child in a vehicle unattended.
11. DO NOT use restraint if without cover. DO NOT use any cover not recommended by manufacturer to replace old cover. The cover constitutes an integral part of the restraint performance.
12. The quality of restraint is insured by manufacturer, but not for second hand restraints.
13. Only suitable if the approved vehicles are fitted with 3-point safety-belts, approved to UN/ECE Regulation No.16 or other equivalent standards.
14. It is important to ensure that any lap strap is worn low down, so that the pelvis is firmly engaged.
15. It is dangerous to make any alterations or additions to the device without the approval of the competent authority. It is also dangerous to not follow closely the installation instructions provided by the child restraint manufacturer.
16. DO NOT use any load bearing contact points other than those described in the instructions and marked in the child restraint.
17. There shall be provisions made so that the instructions can be retained on the child restraint for its life period.
18. The straps holding the restraint should be tight and the straps restraining the child adjusted to the child's body.
19. The rigid items and plastic parts of the restraint must be positioned or installed so that they cannot be trapped by a movable seat or in a door of the vehicle.

ebony

convertible booster

introduction

Suitable for use only with a child weighing between 9-36kg. Only use this restraint with a vehicle fitting with a three point belt system, which conforms to UN/ECE 16 regulation or in accordance with similar regulation. Install the restraint on the passenger seat not equipped with airbag. To be used only in a forward-facing position. Do not secure the restraint only with vehicle's lap belt.



Vehicle Application



Correct fitting/Suitable




Not to be used on this seat if a passenger front airbag is active.



Incorrect fitting/Not suitable



Only use on this seat if a lap and diagonal seat belt is fitted.





Only suitable if the approved vehicles are fitted with 3 point safety-belts, approved to UN/ECE Regulation No.16 or other equivalent standards.

ebony

convertible booster

components list









ebony

convertible booster

adjusting harness strap

Check the harness strap height, it must fit your child's height. If not, please adjust harness strap height.



1. Press the quick adjuster lever with one hand, and then pull shoulder belt harness forward with other hand to loosen it. (See 1)
2. Remove the shoulder belt harness and the belt cover from the metal harness hook of the restraint back. (See 2)
3. From front of restraint, pull the shoulder belt harness out of the harness slot. Then re-thread them through desired height harness slot according to the height of child's shoulders. (See 3)
4. From back of the restraint, re-attach the shoulder belt harness and the belt cover onto the metal harness hook again. (See 4/5)
5. Pull the end of the harness adjuster strap towards you to tighten the shoulder belt harness. (See 6) **Notice:** The harness must not be twisted.




Note:

1. Before installing the restraint, please ensure the vehicle seat is fully upright.
2. The harness strap must not be twisted.
3. The restraint backrest must be positioned tight against the vehicle seat without gap.



ebony

convertible booster

group I installation (9-18kg)



1. Pull out the vehicle seat belt, guide the vehicle seat belt pass through one side of belt guide on backrest, place the lap belt pass through the base armrest below. Bring together the diagonal belt and lap belt on the side of the vehicle seat buckle. Ensure the buckle tongues engage in the vehicle seat buckle. You will hear an audible **CLICK!** Please confirm seat belt lays flat and is not twisted. (see 1/2/3)









2. Press the quick adjuster lever by one hand, and then pull shoulder belt harness forward by another hand to loosen it. (See 4 and 5)

ebony

convertible booster

group I installation (9-18kg)



3. To unfasten the harness, release the buckle by pressing the red button inwards. Then pull the harness clips and put the harness straps aside. (See 6/7/8)

4. Place the baby into the restraint. (See 9)

5. Slide each harness strap over the child's shoulders. Insert the buckle tongues into the buckle until you hear a noticeable "click". Pull up on the harness strap to ensure the buckle tongues are engaged. (See 10/11/12)

6. Gently pull harness adjust straps towards you to tighten the harness for a comfortable and snug fit around child.

7. The harness straps must be snug against the child. A snug strap should not allow any slack. It lies in a relatively straight line without sagging it does not press on the child's flesh or push the child's body into an unnatural position check the harness straps near the shoulders for slack and adjust as needed. Press the red buckle release, and remove the buckle then take out the child.






ebony

convertible booster

group II + III installation (15-36kg)

If using the safety seat in group II + III with backrest

Operate as follows:




1. Pull out the metal harness hook from the back of the restraint, then remove the shoulder belt harness and the belt cover from the metal harness hook. From the front of the car seat, pull the shoulder straps out of the harness slot. (See 1/2)
2. Remove the cover of the booster seat, pass the metal connector down through the opening, pull up the buckle, and the whole buckle strap can be removed. (See 3/4/5)

ebony

convertible booster



group II + III installation (15-36kg)



3. Place the child car seat on the passenger seat ensuring it is firmly against the vehicle seat. (See 6)

4. Sit your child on the child car seat with their back against the backrest. Place the seat belt around your child positioning the lap section of the safety belt under both armrests, then harness clips until you hear a noticeable "click". (See 7)

Adjustable headrest:




push-pull the headrest for an appropriate position to fix it

ebony

convertible booster

care and maintenance



Remove the cover from the car seat.

Important:

The cover is a safety feature, never use the child seat without it, don't put your child's safety at risk by using other makes of replacement cover, could stop the child seat from protecting your child as well as it should.

Washing instruction:

The cover is removable and washable at 30°C, line dry only.




Machine wash, cold




Compatible with any dry-cleaning methods



Do not bleach



Do not tumble dry



Do not iron

European safety child seat is sweeping the whole world now.



ECE R44/04

Notice

1. This is a "Universal" child restraint. It is approved to Regulation No. 44, 04 series of amendments, for general use in vehicles and it will fit most, but not all, car seats.
2. A correct fit is likely if the vehicle manufacturer has declared in the vehicle handbook that the vehicle is capable of accepting a "Universal" child restraint for this age group.
3. This child restraint has been classified as "Universal" under more stringent conditions than those which applied to earlier designs which do not carry this notice.
4. If in doubt, consult either the child restraint manufacturer or the retailer.

motherschoice.com.au

IGC DOREL NEW ZEALAND LTD
14 Sir William Avenue
East Tamaki Auckland 2013
Email: customerservice@igc.co.nz
Phone: 0800 628 000 (toll free)
Hours: 8:00 am - 5:00 pm Monday to Friday



Specifications are subject to change without notice.
Copy or reproduction without permission is prohibited.
© 2016 Dorel Australia Pty Ltd. All Rights Reserved.

www.dorel.com.au

GM0902 04/16 #017001