


ebony booster seat

suitable from 15 to 36 kilograms

group II + III

instruction

MANUAL



IMPORTANT: KEEP THIS BOOKLET IN THE PLACE PROVIDED ON THE CHILD RESTRAINT.

Illustrations and designs may vary.



Safety

Please read this user guide carefully before install the child seat and for future reference.

This child seat suitable children from 15 kg to 36kg (Group II+III).

Please read this instruction carefully otherwise incorrect installation will cause seriously hurt. In this case, the manufacturer will not take any responsibility.

Only suitable for use in the listed vehicles fitted with 3 point safety-belts, approved to ECE Regulation No.16 or other equivalent standards.

The rigid items and plastic parts of a child restraint must be so located and installed that they are not liable, during everyday use of the vehicle, to become trapped by a movable seat or in a door of the vehicle;

The device should be changed when it has been subject to violent stresses in an accident;

A general warning danger of making any alterations or additions to the device without the approval of the competent authority, and a danger of not following closely the installation instructions provided by the child restraint manufacturer.

When the chair is not provided with a textile cover, the chair should be kept away from sunlight, otherwise it may be too hot for the child's skin.

Do not leave any child in child restraint system unattended.

Any luggage or other objects liable to cause injuries in the event of a collision shall be properly secured.

The child restraint must not be used without the cover.

The seat cover should not be replaced with any other than the one recommended by the manufacturer, because the cover constitutes an integral part of the restraint performance.

Seat damaged or become badly must be replaced.

If there were no child placed in the child seat, the child seat still should be fastened by the vehicle safety belt.

The instructions can be retained on the child restraint for its life period .

Do not use any load bearing contact points other than those described in the instructions and marked in the child restraint.


Make sure vehicle belt is not loose.The belt must be kept snug across child's body, and that straps should not be twisted.

Ensuring that any lap strap is worn low down, so that the pelvis is firmly engaged.



If you have any question about the using and installation of the child seat. Please contact our service hotline.

The manufacturer guarantee the quality of the products. But not for the second hands product.

Features



Use in the vehicle



 Only suitable if the approved vehicles are fitted with 3 point safety-belts, approved to UN/ECE Regulation No. 16 or other equivalent standards.

 If there is a front airbag: slide passenger seat back all the way or nearly so, observe any instructions in vehicle owner's manual.

 Incorrect fitting/Not suitable

Suitability

Child safety seat	Group	Body weight
Ebony booster seat	II + III	15 to 36 kg

Suitability

For children from 3 to 12 years (15–36kg weight), the booster can be used with or without backrest. As shown below, just pull out the backrest from the booster. On the opposite, you can fit the backrest in the booster as needed.

WITH Backrest




WITHOUT Backrest




Attaching the backrest

The child seat is composed of a seat and a backrest with an adjustable headrest. The combination provides your child with the desired protection and comfort.




Place the backrest evenly behind the seat.

Attaching the backrest



Turn the backrest upwards until it engages.


Adjusting the height of the headrest



While holding the child seat firmly with one hand on the backrest, use the other hand to pull the height adjust lever located at the back of the headrest.

Raise/Lower the headrest to correctly fit the child seat to your child.

Using seat WITH backrest



Place the child seat on the vehicle seat, leaning the backrest against the back of the vehicle seat.

Using seat WITH backrest



The booster backrest must fit flat against to the vehicle seat.



Have your child sit in the child seat.

Pull out the vehicle seat belt and guide it in front of your child to the vehicle seat buckle.

Caution! Do not twist the belt.

Engage the buckle tongue in the vehicle seat buckle. **CLICK!**




route the lap belt under both armrests through the lap belt guides, across the child's thighs.

Using seat WITH backrest




Slide the shoulder belt through the shoulder belt guide.



Pull the shoulder belt up, ensuring that the seat belt is snug and that it lays flat across the child's chest, and the lap belt lays flat across the child's thighs.


The child is now secured correctly.

Removing the Backrest



pull up to remove the backrest and with an adjustable headrest.

Using seat **WITHOUT** backrest



place the child seat on the vehicle seat so the back of the child seat is flat against the back of the vehicle seat.



Have your child sit in the child seat.

Pull out the vehicle seat belt and guide it in front of your child to the vehicle seat buckle.

Caution! Do not twist the belt.

Engage the buckle tongue in the vehicle seat buckle. **CLICK!**




Pull the shoulder belt up, ensuring that the seat belt is snug and that it lays flat across the child's chest, and the lap belt lays flat across the child's thighs.


The child is now secured correctly.

Removing fabric covers


Headrest fabric covers



Backrest fabric covers



Seat fabric covers



IMPORTANT - The cover is a safety feature. NEVER use the child seat without it. Don't put your child's safety at risk by using other makes of replacement cover, they could stop the child seat from protecting your child as well as it should.

Washing instruction:


The cover is removable and washable at 30°C. Line dry only.



Machine wash, Cold



Compatible with
any dry-cleaning
methods



Do not Bleach



Do not Tumble Dry



Do not Iron

NOTICE

This is a “Universal” child restraint . It is approved to Regulation No. 44,04 series of amendments, for general use in vehicles and it will fit most, but not all, car seats.

A correct fit is likely if the vehicle manufacturer has declared in the vehicle handbook that the vehicle is capable of accepting a “universal” child restraint for this age group.

This child restraint has been classified as “Universal” under more stringent conditions than those which applied to earlier designs which do not carry this notice.

If in doubt, consult either the child restraint manufacturer or the retailer.

motherschoice.com.au

IGC DOREL NEW ZEALAND LTD
14 Sir William Avenue
East Tamaki Auckland 2013
Email: customerservice@igc.co.nz
Phone: 0800 628 000 (toll free)
Hours: 8:00 am - 5:00 pm Monday to Friday



Specifications are subject to change without notice.
Copy or reproduction without permission is prohibited.
© 2016 Dorel Australia Pty Ltd. All Rights Reserved.

www.dorel.com.au

GM0913 04/16 #017000